



Material	Formulation		
	A	B	C
Water	59.25	59.25	59.25
Ultrez 21	0.20	0.20	0.20
EDTA	0.05	0.05	0.05
TEA	0.05	0.05	0.05
Avobenzone	3.00	3.00	3.00
Octocrylene	5.00	5.00	5.00
Octyl Salicylate	5.00	5.00	5.00
Octabenzone	4.00	4.00	4.00
Homosalate	10.00	10.00	10.00
Stearic Acid	2.50	2.50	2.50
GMS	2.50	2.50	2.50
Spider Ester ESO	5.00	5.00	5.00
CosmoSurf® DDG 20	2.00	-	-
CosmoSurf® DGSi	-	2.00	-
Ganex 220	-	-	2.00
Germaben II	1.00	1.00	1.00

3 subject *in vivo* SPF Test
 80 min immersion test
 All 3 were found to be
 Very Water Resistant (VWR)

Results	A	B	C
SPF	34.78	37.93	34.73
Standard Deviation	4.80	2.89	4.80
Label SPF	31	36	31