



## SurfaTech Corporation

2170 Luke Edwards Road

Dacula, Ga. 30019

(678) 468- 9315

(678) 442 9624 (fax)

### Formulation Data Sheet

## Spider Ester GEC Vitamin E Cream

<i>Component</i>	<i>wr%</i>
Water	49.5
Polysurf 67 CF	0.5
Glycerin	3.5
Tetrasodium EDTA Versene 100	0.4
<b>Silsurf 612</b>	4.0
<b>Spider Ester GEC</b>	5.0
Canola Oil	34.0
Tocopherol	2.0
Propylparaben	0.2
Methylparaben	0.4
Fragrance AN128870	0.5
Viscosity	40,000

#### Procedure:

1. Heat water to 75-80°C and dissolve the Polysurf.
2. Mix until completely dissolved. Cool to 50°C.
3. Add Glycerin and Versene to water.
4. Mix Silsurf, Spider Ester, Canola Oil and Parabens and heat to 55°C until all solids are completely dissolved.
5. Add Tocopherol and maintain temperature at 50°C.
6. Add oil mixture to water phase with high speed mixer.
7. Mix until uniform. Fill